

Product Card

Socket outlet, Schuko, 1-gang, shuttered, screwless terminals, LED light, matt white



Socket outlet

Socket outlet, Schuko, 1-gang, shuttered, screwless terminals, LED light, matt white



Type: 20 EUCBLI-884

Product ID: 2CKA002013A5326

GTIN: 4011395129883



There are terminals for each contact of the socket outlet. The terminals are for max 2 solid or rigid wires. No X-terminals. A white color LED light (230V/2,5mA/0,6VA) is integrated into the socket outlet. The light can be controlled separately or it can be connected to the socket terminals.

Technical specification

Classification

Enclosure class:	IP21
------------------	------

Packing

Package:	1
----------	---

Unit:	PCS
-------	-----

ETIM Data

Number of active pins (round):	2
--------------------------------	---

With signal lamp:	No
-------------------	----

Number of units:	1
------------------	---

Number of phases:	1
-------------------	---

Imprint/indication:	None
---------------------	------

Product Card

Socket outlet, Schuko, 1-gang, shuttered, screwless terminals, LED light, matt white



Connection type:	Push-in clamp
With hinged lid:	No
With enhanced contact protection:	Yes
Label space/information surface:	No
Colour:	White
RAL-number (similar):	9016
Metallic colour:	No
Transparent:	No
Lockable:	No
Eject-mechanism:	No
Insulated mounting:	Yes
With function lighting:	No
With orientation lighting:	Yes
Over voltage protection:	No
Fault current protection:	No
With miniature fuse:	No
Special power supply:	Supplementary safety power supply (orange)
Mounting method:	Flush mounted (plaster)
Type of fastening:	Mounting with claw and screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Yes
Surface protection:	Lacquered
Surface finishing:	Matt
Anti-bacterial treatment:	No
With loop through function:	Yes
With on/off switch:	No
Rotated central insert:	No
Nominal current:	16 A
Nominal voltage:	250 V
Suitable for degree of protection (IP):	IP20
Impact strength:	IK03
Device width:	71 mm
Device height:	71 mm

Product Card

Socket outlet, Schuko, 1-gang, shuttered, screwless terminals, LED light, matt white



Device depth:	46.5 mm
Min. depth of built-in installation box:	32 mm
Compatible with Apple HomeKit:	No
Compatible with Amazon Alexa:	No
Compatible with Google Assistant:	No
IFTTT support available:	No