

## Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, anthracite



# Socket outlet

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, anthracite



**Type:** 404EA-81

**Product ID:** 2TKA00001614

**GTIN:** 6438199003351



There is 2 times 2-gang socket outlet inserts in one unit. The socket outlet inserts are internally connected. In one socket outlet insert there are terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals.

## Technical specification

### Electrical quantities

Nominal current:	16 A
Nominal voltage:	250 V

### Classification

Suitable for degree of protection (IP):	IP21
Protection class:	IP21

### Packing

Package:	1/20
Unit:	PCS

# Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, anthracite



## ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC000125
Number of active pins (round):	2
With signal lamp:	No
Number of units:	4
Number of phases:	1
Imprint/indication:	None
Connection type:	Push-in clamp
With hinged lid:	No
With enhanced contact protection:	Yes
Label space/information surface:	No
Colour:	Anthracite
RAL-number (similar):	7021
Metallic colour:	No
Transparent:	No
Lockable:	No
Eject-mechanism:	No
Insulated mounting:	No
With function lighting:	No
With orientation lighting:	No
Over voltage protection:	No
Fault current protection:	No
With miniature fuse:	No
Special power supply:	No special power supply
Mounting method:	Surface mounted (plaster)
Type of fastening:	Mounting with screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Yes
Surface protection:	Untreated
Surface finishing:	Glossy
Anti-bacterial treatment:	No

# Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, anthracite



With loop through function:	No
With on/off switch:	No
Rotated central insert:	No
Frequency:	50 Hz
Device width:	115 mm
Device height:	42 mm
Device depth:	100 mm