

Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, aluminum



Socket outlet

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, aluminum


Type: 404EA-83

Product ID: 2TKA00001615

GTIN: 6438199003368



There is 2 times 2-gang socket outlet inserts in one unit. The socket outlet inserts are internally connected. In one socket outlet insert there are terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals.



Technical specification

Electrical quantities

Rated current: 16 A

Classification

Protection class: IP21

Packing

Package: 1/20

Unit: PCS

ETIM Data

Number of active pins (round): 2

Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, aluminum



With signal lamp:	No
Number of units:	4
Number of phases:	1
Imprint/indication:	None
Connection type:	Push-in clamp
With hinged lid:	No
With enhanced contact protection:	Yes
Label space/information surface:	No
Colour:	Aluminium
RAL-number (similar):	9006
Metallic colour:	Yes
Transparent:	No
Lockable:	No
Eject-mechanism:	No
Insulated mounting:	No
With function lighting:	No
With orientation lighting:	No
Over voltage protection:	No
Fault current protection:	No
With miniature fuse:	No
Special power supply:	No special power supply
Mounting method:	Surface mounted (plaster)
Type of fastening:	Mounting with screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Yes
Surface protection:	Lacquered
Surface finishing:	Glossy
Anti-bacterial treatment:	No
With loop through function:	No
With on/off switch:	No
Rotated central insert:	No
Nominal current:	16 A
Nominal voltage:	250 V

Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, aluminum



Frequency:	50 Hz
Suitable for degree of protection (IP):	IP21
Device width:	115 mm
Device height:	42 mm
Device depth:	100 mm