

## Product Card

2-pole 2-gang 1-way switch, Impressivo, no X-terminals, white matt



# Switch

2-pole 2-gang 1-way switch, Impressivo, no X-terminals, white matt



**Type:** 10621UC-884

**Product ID:** 2TKA00002741

**GTIN:** 6438199009520



Switch with screwless terminals. The terminals are for max 2 rigid wires. Including switch insert and rocker.

## Technical specification

### Electrical quantities

Rated current:	16 AX
Rated voltage:	250 V

### Classification

Enclosure class:	IP21
------------------	------

### Packing

Package:	1/10/100/1800
Unit:	PCS

### ETIM Data

Wiring system:	2-pole switch
Method of operation:	Rocker/button

# Product Card

2-pole 2-gang 1-way switch, Impressivo, no X-terminals, white matt



Assembly arrangement:	Basic element with central cover plate
Push button switch:	No
Number of rockers:	1
Mounting method:	Flush mounted (plaster)
Type of fastening:	Screw mounting
With mounting plate:	No
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Yes
Anti-bacterial treatment:	No
Surface protection:	Lacquered
Surface finishing:	Matt
Colour:	White
RAL-number (similar):	9016
Label space/information surface:	No
Illumination:	No
Suitable for degree of protection (IP):	IP21
Nominal voltage:	250 V
Rated current:	16 A
Switching current for fluorescent lamps:	16 AX
Feedback-signal contact:	No
Connection type:	Push-in clamp
Heating switch:	No
Washing machine switch:	No
Device width:	70 mm
Device height:	33 mm
Device depth:	85 mm
Built-in depth:	18 mm
Min. depth of built-in installation box:	18 mm
Compatible with Apple HomeKit:	No
Compatible with Google Assistant:	No
Compatible with Amazon Alexa:	No
IFTTT support available:	No

## Product Card

2-pole 2-gang 1-way switch, Impressivo, no X-terminals, white matt



---

—  
© ABB 2024

Business ID 0763403-0

[www.installationmaterials.com](http://www.installationmaterials.com)

---

—  
Customer service

puh. +358 10 222 1999

[contact.center@fi.abb.com](mailto:contact.center@fi.abb.com)

---

—  
ABB Exchange

+358 10 22 11